

Amendments to the Claims:

This listing of Claims will replace all prior versions, and listings, of Claims in the application:

Listing of Claims:

1. (Canceled).
2. (Currently Amended) The compression seal of Claim 32, wherein the wall thickness of the lateral wing is at least about one half of an inch.
3. (Currently Amended) The compression seal of Claim 32, wherein the extruded material comprises an elastic material ~~ethylene propylene terpolymers~~.
4. (Currently Amended) The compression seal of Claim ~~3~~ 32, wherein the extruded material comprises EPDM rubber or ethylene propylene terpolymers.
5. (Previously Presented) The compression seal of Claim 32, wherein the compressible sealing portion comprises longitudinal tubes.
6. (Previously Presented) The compression seal of Claim 32, wherein the compressible sealing portion comprises a membrane structure having at least one channel, wherein the channel allows the compressible sealing portion to vary in lateral width.
7. (Previously Presented) The compression seal of Claim 32, wherein the lateral wing comprises longitudinal channels.
8. (Currently Amended) The compression seal of Claim 32, wherein the lateral wing ~~comprises~~ has a lower surface provided with grooves ~~grooved surfaces~~.

9. (Canceled).
10. (Previously Presented) The compression seal of Claim 32, wherein cross sections of the compression seal along its length have substantially the same structural configuration.
11. (Canceled).
12. (Canceled).
13. (Currently Amended) The expansion joint of Claim ~~33~~ 45, wherein the wall thickness of each ~~the lateral load-bearing~~ wing is at least about one half of an inch.
14. (Currently Amended) The expansion joint of Claim ~~33~~ 45, wherein a surface of each ~~the lateral wing~~ is bonded to a surface of an adjacent ~~element~~ concrete slab by adhesives.
15. (Currently Amended) The expansion joint of Claim ~~33~~ 45, wherein a surface of each ~~the lateral wing~~ is ~~bonded~~ bolted to a surface of an adjacent ~~element~~ concrete slab ~~by masonry anchoring bolts~~.
16. (Canceled).
17. (Currently Amended) The expansion joint of Claim ~~33~~ 45, wherein the one-piece compression seal comprises an elastic material ~~extruded ethylene propylene terpolymers~~.
18. (Currently Amended) The expansion joint of Claim ~~45~~ 33, wherein the one-piece compression seal comprises extruded EPDM rubber or extruded ethylene propylene terpolymers.

19. (Currently Amended) The expansion joint of Claim 45 ~~33~~, wherein the compressible sealing portion comprises longitudinal tubes.

20. (Currently Amended) The expansion joint of Claim 45 ~~33~~, wherein the compressible sealing portion comprises a membrane structure having at least one channel, wherein the channel allows the compressible sealing portion to vary in lateral width.

21. (Currently Amended) The expansion joint of Claim 45 ~~33~~, wherein ~~the~~ at least one lateral wing comprises longitudinal channels.

22. (Currently Amended) The expansion joint of Claim 45 ~~33~~, wherein ~~the~~ at least one lateral wing is hinged from the compressible sealing portion.

23. (Currently Amended) The expansion joint of Claim 45 ~~33~~, wherein cross sections of the compression seal along its length have substantially the same structural configuration.

24. (Canceled).

25. (Canceled).

26. (Previously Presented) The compression seal of Claim 6, wherein the channel deforms to allow the compressible sealing portion to vary in lateral width.

27. (Previously Presented) The compression seal of Claim 26, wherein the channel allows the compressible sealing portion to vary in lateral width by deforming vertically with variations in the lateral width of the compressible sealing portion.

28. (Previously Presented) The expansion joint system of Claim 20, wherein the channel deforms to allow the compressible sealing portion to vary in lateral width.

29. (Previously Presented) The expansion joint system of Claim 28, wherein the channel allows the compressible sealing portion to vary in lateral width by deforming vertically with variations in the lateral width of the compressible sealing portion.

30. (Currently Amended) The compression seal of claim 32, wherein the lateral wing is bonded to a surface of an adjacent elements concrete slab by adhesives.

31. (Canceled).

32. (Currently Amended) A one-piece compression seal for an expansion joint,
~~consisting of~~ comprising:

a compressible sealing portion having elastic membranes; and

at least one lateral wing extending from the compressible sealing portion forming
a structurally integrated one-piece extrusion, wherein the lateral wing is configured so as to be
received in and contact a blackout area of a concrete slab, and further wherein the lateral wing
and the elastic membranes each have a wall-thickness and wherein the wall-thickness of the
lateral wing is greater than the wall-thickness of the elastic membranes, and further wherein each
of the lateral wing and the compressible sealing portion have a width, and the width of the lateral
wing is greater than the width of the compressible sealing portion. ~~the wherein the lateral wing~~
~~has a thickness that is larger than a thickness of the elastic membranes, and the lateral wing has a~~
~~width that is larger than a width of the compressible sealing portion, and wherein the~~
~~compressible sealing portion and the lateral wing form structurally integrated parts of a one-~~
~~piece extruded material.~~

33. (Canceled).

34. (Canceled).

35. (Canceled).

36. (Canceled).

37. (Canceled).

38. (Canceled).

39. (Canceled).

40. (Canceled).

41. (Canceled).

42. (Previously Presented) The compression seal of Claim 32, wherein the lateral wing is hinged from the compressible sealing portion.

43. (Previously Presented) The compression seal of Claim 32, wherein the lateral wing is ~~configured to be bonded~~ bolted to a surface of an adjacent element ~~by masonry anchoring bolts~~.

44. (Currently Amended) The expansion joint of Claim ~~45~~ 33, wherein the lateral wing has a lower surface provided with grooves ~~comprises grooved surfaces~~.

45. (New) A one-piece compression seal for an expansion joint, comprising:
a compressible sealing portion including an elastic accordion-like membrane structure formed by a plurality of channels, the compressible sealing portion a wall thickness;
and

first and second lateral wings each extending from an upper portion of the compressible sealing portion, the first and second lateral wings each having a wall thickness greater than the wall thickness of the compressible sealing portion, and further wherein the first

and second lateral wings each have concrete-contacting lower surfaces configured to grip adjacent concrete slabs.

46. (New) The one-piece compression seal of claim 45, wherein each of the first and second lateral wings has a vertical height and the compressible sealing portion has a vertical height, the vertical height of the compressible sealing portion being greater than the vertical height of the first and second lateral wings.

47. (New) The one-piece compression seal of claim 45, wherein at least one lateral wing has a solid structure.

48. (New) The one-piece compression seal of claim 45, wherein at least one lateral wing has a cellular structure.

49. (New) The one-piece compression seal of claim 45, wherein at least one lateral wing has at least one surface having a pattern of grooves.

50. (New) The one-piece compression seal of claim 32, wherein the lateral wing has a solid structure.

51. (New) The one-piece compression seal of claim 32, wherein the lateral wing has a cellular structure.